

**Державне підприємство  
«Український науково-дослідний і навчальний центр  
проблем стандартизації, сертифікації та якості»  
(ДП «УкрНДНЦ»)**

---

**ДСТУ EN 1630:2017  
(EN 1630:2011+A1:2015, IDT)  
Пішохідні дверні блоки, вікна, огорожувальні завіси, решітки  
та жалюзі. Тривкість щодо зламування. Метод випробування на  
тривкість до спроб ручного зламування**

EN 1630:2011+A1:2015 Pedestrian doorsets, windows, curtain walling, grilles and shutters — Burglar resistance — Test method for the determination of resistance to manual burglary attempts

Прийнято як національний стандарт методом підтвердження за позначенням ДСТУ EN 1630:2017 Пішохідні дверні блоки, вікна, огорожувальні завіси, решітки та жалюзі. Тривкість щодо зламування. Метод випробування на тривкість до спроб ручного зламування

Наказ від 31.07.2017 № 201

Чинний від 1 серпня 2017 року

# CONTENTS

European foreword

1 Scope

2 Normative references

3 Terms and definitions

4 Apparatus and test team

4.1 Test rig

4.2 Test team

4.2.1 Personnel

4.2.2 Composition of the test team

4.2.3 Essential capabilities of the test team members

4.2.4 Training

4.3 Measurement and recording devices

4.3.1 Measuring equipment

4.3.2 Video recording

4.4 Tolerances

4.5 Sub-frame

5 Test specimen

5.1 General

5.2 Preparation and examination of the specimen

6 Procedure

6.1 General

6.2 Test room climate

6.3 Areas of attack

6.3.1 General

6.3.2 Construction products with moving elements

6.3.3 Fixed construction products

6.4 Attack side and attack height

6.5 Pre-test

6.6 Main test

6.7 Failure criteria

7 Tool sets

7.1 General

7.2 Tool set A1 resistance class 1 (see Figure A.1) – Application of the tool set A1 in resistance class 1

7.3 Tool set A2 resistance class 2 (see Figure A.2) – Application of the tool set A2 in resistance class 2

7.4 Tool set A3 resistance class 3 (see Figure A.3) – Application of the tool set A3 in resistance class 3

7.5 Tool set A4 resistance class 4 (see Figure A.4) – Application of the tool set A4 in resistance class 4

7.6 Tool set A5 resistance class 5 (see Figure A.5) – Application of the tool set A5 in resistance class 5

7.7	Tool set A6 resistance class 6 (see Figure A.6) – Application of the tool set A6 in resistance class 6
8	Test report
	Annex A (normative) Tool sets
A.1	Tool set A1
A.2	Tool set A2
A.3	Tool set A3
A.4	Tool set A4
A.5	Tool set A5
A.6	Tool set A6
	Annex B (normative) Test sequence for manual test of resistance classes 2 to 6
B.1	Test sequence for manual test of resistance classes 2 to 6
	Annex C (normative) Example of test equipment Dimensions in mm
	Annex D (informative) Examples of mounting arrangements
D.1	Examples of mounting arrangements for doorsets
D.2	Examples of mounting arrangements for windows
D.3	Examples of mounting arrangements for wing and folding shutters
D.4	Examples of mounting arrangements for guide rails and roller shutters into the test rig
D.5	Examples of mounting arrangements for grilles into the test rig
	Bibliography

## **SCOPE**

This European Standard specifies a test method for the determination of resistance to manual burglary attempts in order to assess the burglar resistant characteristics of pedestrian doorsets, windows, curtain walling, grilles and shutters. It is applicable to the following means of opening: Turning, tilting, folding, turn-tilting, top or bottom hung, sliding (horizontally and vertically) and rolling as well as fixed constructions.

This European Standard does not directly cover the resistance of locks and cylinders to attack with picking tools. It also does not cover the attack of electric, electronic and electromagnetic operated burglar resistant construction products using attack methods that might defeat these characteristics.

It is acknowledged that there are two aspects to the burglar resistance performance of construction products, their normal resistance to forced operation and their ability to remain fixed to the building. Due to the limitation of reproducing the fixing methods and building construction in a laboratory environment this aspect is not fully covered by the standard. This is particularly true with products built into a building. The performance of the fixed part of the product is evaluated using a standard sub frame. It is the manufacturer's responsibility to ensure that guidance on the fixing of the product is contained in the mounting instructions and that this guidance is suitable for the burglar resistance class claimed for the product. As with

the other referenced standards this specification uses a standard sub frame and the product is mounted according to the manufacturers' instructions. An example for the contents of the manufacturer's installation instructions is given in Annex A of EN 1627:2011. This test method does not evaluate the performance of the fixing to the building.

This European Standard does not apply to doors, gates and barriers, intended for installation in areas in the reach of persons, and for which the main intended uses are giving safe access for goods and vehicles accompanied or driven by persons in industrial, commercial or residential premises, as covered by EN 13241-1.

**Повну версію стандарту можна придбати за посиланням:**

[http://online.budstandart.com/ua/catalog/doc-page.html?id\\_doc=71930](http://online.budstandart.com/ua/catalog/doc-page.html?id_doc=71930)